Remove this door sign and chemical cage card once chemical hazard is no longer present.

## Use the manufacturer's Safety Data Sheet to identify the GHS hazard(s) and check the appropriate box(s) below:

Chemical Hazards for:						
Toxic $\Box$ or Harmful $\Box$ by:	□ Reproductive		🗆 Skin sensitizer			
🗆 Skin contact	Carcinogen		🗆 Unknown			
$\Box$ Inhalation	🗆 Mutagen		Other:			
Ingestion	🗆 Sensitizer (inhalati	on)				
Who is responsible for ch	nanging cages?:		Research Staff			
Principal Investigator:		Protocol Number:				
Dosing date/time:		Building/Room #:				
See Operations Manager for Safety Data Sheet (provided by PI).						

For 72 hours after administration/exposure AND until bedding is changed, wear <u>STANDARD</u> PPE as well as additional PPE for specific tasks as indicated below:

		•		
Standard	If splashing may	Open or Cage dumping (unless		Double glove
	occur ADD	unventilated chemical fume hood or BSC		IF CHECKED
		cages* ADD	is used) ADD	
	And/or	8		
		OR		
Change gloves every 2 hours or when torn and/or contaminated.	OR		or 🧊 + [ 🔶 or 🏹]	Change gloves every 2 hours or when torn and/or contaminated.

\*Cages should be opened in ventilated cage-changing station, biological safety cabinet (BSC), or chemical fume hood.

Emergency Contact	Name	Work Phone	Afterhours Number
Primary			
Secondary			

Cleared by OESO Representative:

Date:

Ph#919-684-8822